



PRICE LIST

Repair Parts for **IRON AGE** Horse Hoes, Harrows and Cultivators

DIRECTIONS FOR ORDERING

Number. Grey iron and malleable parts have the number on them. If number is unknown, refer to cuts of parts on pages 13-22.

Description. Read carefully, noting any sizes given and other information.

Bolts and cutters. Although mentioned in connection with some parts they are not included in the price, unless the word "with" indicates it.


When you order by letter, give number and description of part, number and year of machine. If by wire, give number only. Prepay telegrams. Don't mix orders with your letters. Don't forget to date and sign your order. Give your P. O. address.

Directions for shipping. Parcels Post will carry packages up to 20 pounds in weight and measuring 72 inches in length and girth combined. We ship by Parcels Post or Express unless you order shipment by freight.

This list covers the following machines:


Only the old numbers of the machines are referred to in the descriptive part of the list. The page number refers to cuts of parts.

- No. 1 Cultivator, 5-tooth, Fig. 10—7-tooth, Fig. 57—9-tooth, Fig. 411. (New Nos. 1005—1007-EP, 1009-E) page 13.
- No. 1 Horse Hoe and Cultivator, Figs. 64, 463. (New No. 1000-EL) page 13.
- No. 1 Harrow, Fig. 108. (New No. 1014) page 20.
- No. 2 Harrow. (New No. 2013) page 21.
- No. 3 Harrow. (New No. 3016-EP) page 21.
- No. 5 Orchard Cultivator, 9-tooth, Fig. 70. (New No. 509) page 15.
- No. 6 Horse Hoe and Cultivator, Figs. 160, 100, 102, 101. (New Nos. 600-EL, 600-EP, 600-P) page 14.
- No. 6 Cultivator, 7-tooth, Figs. 71, 462. (New Nos. 607-EL, 607-EP) page 14.
- No. 7 Horse Hoe and Cultivator, Fig. 161. (New No. 700-L) page 15.
- No. 8 Horse Hoe and Cultivator, Fig. 157. (New No. 800-L) page 15.
- No. 35 Weeder and Cultivator, page 17.
- No. 36 Horse Hoe and Cultivator, page 18.
- No. 37 Cultivator, 5-tooth, page 19.
- No. 38 Weeder and Harrow. (New No. 2038) page 21.
- No. 39 Weeder and Cultivator, page 19.
- "Dixie" Horse Hoe and Cultivator, page 18.
- Attachments, page 22.



Rear View
No. 600-EL

Other forms of this tool are shown on page 24.



No. 600-EL,
formerly known as
No. 6, Fig. 260.

We are not responsible for mistakes unless these directions are followed.

BATEMAN M'FG CO., Grenloch, N. J., U. S. A

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Cleviss Pin, malleable.....	E 306		0	1
Leveler Bracket (goose neck), malleable, Fig. 104. (B. H. Rivet, $\frac{1}{4} \times \frac{9}{16}$).....	P 187		1	6
Lower Ratchet for Hoe Standard, malleable, Nos. 1-6-8-35. (C. Bolts, $\frac{1}{2} \times 3-3\frac{1}{2}$).....	T 1		0	7
Upper Ratchet Bracket for Standard, R.H., mall., Nos. 1-6-35. (C. Bolts, $\frac{3}{8} \times 1\frac{3}{8}$; $\frac{1}{2} \times 3\frac{1}{2}$)....	T 2		1	6
Upper Ratchet Bracket for Standard, L.H., mall., Nos. 1-6-35. (C. Bolt, $\frac{1}{2} \times 3\frac{1}{2}$, no nut)...	T 3		1	6
Wrench, malleable.....	T 4		0	5
Ratchet Washer for Side Hoe, Single Standard, mall., "Dixie." (Plow Bolts, $\frac{5}{16} \times \frac{3}{4}$. C. Bolts, $\frac{3}{8} \times 2\frac{1}{4}$).....	T 9		0	4
Ratchet Bracket, R.H., for Side Hoe, Single Standard, mall., "Dixie".....	T 10		0	8
Ratchet Bracket, L.H., for Side Hoe, Single Standard, mall., "Dixie".....	T 11		0	10
Clamp for Wheel Expander, No. 37.....	T 12		0	8
Ratchet Bracket for Hoe Standard, R.H., No. 36-37, malleable.....	T 13 R		1	0
Ratchet Bracket for Hoe Standard, L.H., No. 36-37, mall. (C. Bolt, $\frac{3}{8} \times 1-1\frac{1}{2}$	T 13 L		1	0
Expander Wheel, No. 37.....	T 14		0	8
Stirrup for Wheel Expander, No. 37.....	T 15		0	8
Wheel. All but No. 7.....	T 17		3	8
Wheel, special when ordered. All but No. 7.....	T 17 A		6	5
Bracket and Plain Wheel, Standard Strap, R.H., complete, mall. All but No. 7. (Rivets, $\frac{5}{16} \times \frac{1}{2}$; No. 6 $\times \frac{7}{8}$. M. Bolts, $\frac{3}{8} \times 1\frac{1}{2}-1\frac{3}{4}$).....	T 18		0	15
Bracket and Plain Wheel, Standard Strap, L.H., complete, mall. (B. H. Rivets, $\frac{5}{16} \times \frac{1}{2}-1\frac{1}{2}$) All but No. 7.....	T 19		0	15
Ratchet Bracket with Strap for No. 3 Plain Wheel, R.H., No. 7, mall. (C. Bolts, $\frac{3}{8} \times 2\frac{1}{4}$)....	T 23		1	1
Plain Bracket with Strap for No. 3 Plain Wheel, L.H., No. 7, mall. (B. H. Rivets, $\frac{5}{16} \times \frac{9}{16}$)....	T 24		1	1
Adjuster for No. 3 Plain Wheel, No. 7, mall.....	T 25		0	3
Grooved Casting for Runner Attachment. Fig. 105.....	T 29		0	7
Square Casting for Runner Attachment, Fig. 105. (M. Bolts, $\frac{3}{8} \times 2\frac{1}{2}$).....	T 30		0	5
Lever Slide, Upper, for Expander (old style), No. 1.....	T 45		0	9
Lever Slide, Lower, for Expander (old style), No. 1.....	T 46		0	9
Ratchet for Expander Lever (old style), No. 1.....	T 47		0	9
Clamp for Expander (old style), No. 1.....	T 48			
Trigger for Expander Lever, mall. Nos. 1-6-35-37. Nos. 1-3-38 Harrow. (B. H. Rivets, No. 6 $\times \frac{3}{4}$).....	T 49		0	3
Pawl Case (old style), No. 1.....	T 50		0	1

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	WEIGHT	
		LIST PRICE	LBS. OZ.
Pawl (old style), No. 1.	T 51	0	4
Fender Bar Clamp, outside. (C. Bolts, $\frac{5}{16} \times 1\frac{1}{4}$; $\frac{3}{8} \times 1\frac{1}{4}$. B. H. Rivets, $\frac{1}{4} \times \frac{5}{8}$). Nos. 1-2-38 Harrow.	T 55	0	6
Fender Bar Clamp, inside. Nos. 1-2-38 Harrow.	T 56	0	4
Nut for Standard Ratchet Bolt, malleable. Nos. 1-6-7-8-35.	T 58	0	2
Expander Lever Slide, upper, mall. (M. Bolt, $\frac{3}{8} \times 1-1\frac{1}{4}-2\frac{1}{4}$). All but Nos. 5-7-36.	T 65	0	10
Expander Lever Slide, lower, mall. (M. Bolts, $\frac{3}{8} \times 2\frac{1}{4}$). All but Nos. 5-7-8-36.	T 66	0	9
Ratchet for Lever Wheel, No. 1 Harrow, to 1912.	T 70	1	8
Ratchet for Lever Wheel, mall., from 1912. (M. Bolts, $\frac{3}{8} \times 1\frac{1}{2}$). Nos. 1-6-8-35-36. Nos. 1-2 Harrow.	T 70 A	1	8
Pawl Case for Lever Wheel, lower, mall. Nos. 1-6-8-35-36. Nos. 1-2 Harrow.	T 71	0	2
Pawl Case for Lever Wheel, upper, mall. Nos. 1-6-8-35-36. Nos. 1-2 Harrow.	T 72	0	2
Pawl for Lever Wheel, mall. Nos. 1-6-8-35-36. Nos. 1-2 Harrow.	T 73	0	3
Hand Piece for Lever Wheel, mall. Nos. 1-6-8-35-36. Nos. 1-2 Harrow. (B. H. Rivets, No. 6 x $\frac{7}{8}$).	T 74	0	3
Case for Pawl and Spring on Expander Lever, mall. (C. Bolt, $\frac{1}{4} \times 1\frac{1}{4}-1\frac{3}{8}$) (Plow Bolt, $\frac{1}{4} \times \frac{3}{4}$, M. Bolt, $\frac{3}{8} \times 1\frac{1}{4}$) All but Nos. 5-7-8-36.	T 77	0	7
Upper Ratchet Expander, R. H., No. 7, mall., to 1912. (M. Bolt, $\frac{3}{8} \times 2\frac{1}{4}$, $\frac{5}{16} \times 3\frac{1}{4}$).	T 80	1	0
Upper Ratchet Expander, R.H., No. 7, mall., from 1912.	T 80 A	1	0
Upper Ratchet Expander, L.H., No. 7, mall., to 1912.	T 81	1	0
Upper Ratchet Expander, L.H., No. 7, mall., from 1912.	T 81 A	1	0
Spur Pinion for Expander Rack (with Cup Pt. Set Screw, $\frac{3}{8} \times \frac{1}{2}$), No. 7, mall.	T 82	0	9
Crank Expander Stirrup (C. Bolt, $\frac{3}{8} \times 1\frac{1}{4}$; M. Bolt, $\frac{3}{8} \times 1\frac{1}{4}$). No. 7, mall.	T 83	1	6
Crank Expander Holder, No. 7, malleable.	T 84	0	5
Crank Expander Wheel Clamp, No. 7, malleable.	T 85	0	7
Crank Expander Handle. (B. H. Rivets, No. 6 x $\frac{7}{8}-1\frac{1}{8}$). Nos. 7, 8, malleable.	T 86	0	11
Crank Expander Handle, with Pipe. Nos. 7, 8, malleable.	T 86	1	11
Lower Ratchet for Hoe Standard. No. 7, malleable.	T 87	0	7
Upper Ratchet Bracket for Standard, R.H. No. 7, mall. (C. Bolts, $\frac{3}{8} \times 1\frac{3}{4}-2$).	T 88	1	6
Upper Ratchet Bracket for Standard, L.H. No. 7, mall. (C. Bolt, $\frac{1}{2} \times 3$).	T 89	1	6
Saddle for Hilling Attachment, malleable, Fig. 103.	T 90	1	1
Standard Clamp for Hilling Attachment, mall., (with Cup Pt. Set Screw $\frac{1}{2} \times 1\frac{1}{4}$), Fig. 103.	T 91	0	10
Hinge, L.H., for Hilling Attachment, Fig. 103.	T 92	1	2

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	WEIGHT	
		LIST PRICE	LBS. OZ.
Hinge, R.H., for Hilling Attachment, Fig. 103.....	T 93	1	2
Pawl for Expander Lever, mall. All but Nos. 5-7-8-36.....	T 96	0	2
Ratchet for Expander Lever, malleable. (C. Bolts, $\frac{3}{8} \times 1\frac{3}{8}$ - $1\frac{3}{8}$ -2-2 $\frac{1}{4}$). All but Nos. 5-7-8-36.....	T 97	0	14
Clamp Bracket for Side Hoe Standard, with Set Screw. No. 35, malleable.....	T 100	0	14
Clamp Bracket for Side Hoe Standard (with Cup Pt. Set Screw, $\frac{1}{2} \times 1$). No. 38, malleable..	T 101	0	10
Upper Ratchet Bracket for Standard, R.H., mall. No. 8. (C. Bolts, $\frac{3}{8} \times 1\frac{1}{4}$).....	T 102	1	11
Upper Ratchet Bracket for Standard, L.H., malleable. No. 8.....	T 103	1	9
Expander Slide, old style, No. 8.....	T 104	1	2
Rear Bracket for Expander Screw, No. 8, malleable.....	T 105	0	13
Collar, front, with Pin for Expander Screw, No. 8.....	T 106	0	5
Collar, rear, with Cup Pt. Set Screw, $\frac{3}{8} \times \frac{5}{8}$, for Expander Screw, No. 8.....	T 107	0	6
Expander Slide, No. 8, malleable. (C. Bolts, $\frac{3}{8} \times 2\frac{1}{4}$).....	T 108	1	2
Bracket for Expander Rod, No. 8, mall., with Cup Pt. Set Screw, $\frac{3}{8} \times \frac{5}{8}$. (Cotter, $\frac{3}{16} \times 1\frac{1}{4}$) ...	T 109	0	13
Bracket for Handle Shift, special, No. 8.....	T 110	0	10
Beveled Spacer Block on Middle Bar, for Handle Shift, Special, No. 8.....	T 111	0	8
Ratchet for Depth Regulator. Nos. 1-6-36, mall. (C. Bolts, $\frac{1}{4} \times 1$; M. Bolts, $\frac{3}{8} \times 1\frac{1}{4}$)...	T 114	0	14
Draw Hook, with Link, mall. All but No. 37.....	T 131	0	8
Steadying Block for 20" Improved Furrower.....	T 132	0	9
Tooth Bracket, R. H., for Middle Bar, Nos. 1-3 Harrow. (Same as old No. 3 block) mall., to 1913.....	T 133	0	5
Tooth Bracket, R.H., for Middle Bar, from 1913. Nos. 1-3 Harrow.....	T 133 A	0	7
Tooth Bracket, L.H., for Middle Bar. (Same as old No. 5 block), mall., to 1913. Nos. 1-3 Harrow.....	T 134	0	5
Tooth Bracket, L.H., for Middle Bar, from 1913. Nos. 1-3 Harrow.....	T 134 A	0	7
Tooth Bracket, R.H., for Side Bar. (Same as old No. 5L block), mall., to 1913. Nos. 1-3 Harrow.....	T 135	0	5
Tooth Bracket, R.H., for Side Bar, from 1913. Nos. 1-3 Harrow.....	T 135 A	0	7
Tooth Bracket, L.H., for Side Bar. (Same as old No. 3R block), mall., to 1913. Nos. 1-3 Harrow.....	T 136	0	5
Tooth Bracket, L.H., for Side Bar, from 1913. Nos. 1-3 Harrow.....	T 136 A	0	7
Clip for Side Bar and Expander Strap, mall. No. 5. Cult. and Nos. 1 and 2 Harrows. Same as old VI).....	T 137	0	3

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Top Piece for Clamp Expander, mall. (old No. IX). Nos. 1-5-6-35-36. Nos. 1-2 Harrow. T 138			0	6
Clamp for Expander, complete, with Cup Pt. Set Screw $\frac{1}{2} \times \frac{1}{4}$, mall. Nos. 1-5-6-35-36.				
Nos. 1-2 Harrow. T 138			0	15
Square Beveled Washer, for lower end of Handles, mall. All but No. 7. (C. Bolts, $\frac{3}{8} \times 3\frac{1}{4}$; M. Bolts, $\frac{3}{8} \times 3\frac{1}{4}$) T 139			0	2
Clip for upper end of Wheel Lever, mall. Nos. 1-6-8-35-36. Nos. 1-2 Harrow. (B. H. Rivets, No. 6 $\times \frac{7}{8}$) T 140			0	1
Link for Draw Hook, mall. All but No. 37. T 141			0	2
Lower R'chet for Side Hoe Br'ket, No. 7, mall. (Same as old A Washer). (C. Bolts, $\frac{3}{8} \times 2$) ... T 142			0	2
Frame Head Plate (formerly known as D), to 1912. (C. Bolt, $\frac{3}{8} \times 2\frac{1}{2}$; M. Bolts, $\frac{5}{16} \times 2\frac{3}{4}$). Nos. 1-5-6-7-8-35-36. T 143			0	9
Frame Head Plate for $\frac{3}{8}$ stock, mall. (C. Bolts, $\frac{3}{8} \times 2\frac{1}{2}$). No. 37. Nos. 1-2-3-38 Harrow. T 144			0	9
Frame Head Plate, mall., from 1912. Nos. 1-5-6-7-8-35-36. (C. Bolts, $\frac{3}{8} \times 2\frac{1}{2}$) T 145			0	9
Hinge Bracket, mall. (C. Bolts, $\frac{3}{8} \times 1\frac{1}{2}-1\frac{3}{4}$; M. Bolt, $\frac{5}{16} \times 2\frac{1}{2}-2\frac{3}{4}-3\frac{1}{4}$). Nos. 1-6-7-35-36-37... T 146			0	7
Washer, mall., Nos. 1-5-6-7-35-36-37. Nos. 1-2 Harrow. (M. Bolt, $\frac{5}{16} \times 2\frac{1}{2}-2\frac{3}{4}$) T 147			0	1
Washer, mall., Nos. 1-6-7-35-37. Nos. 1-2-38 Harrow. (M. Bolt, $\frac{5}{16} \times 1-2-3-3\frac{1}{4}$). Special when ordered. T 149			0	1
Hinge Brackets, mall., No. 5. Nos. 1-2-3-38 Harrow. (M. Bolts, $\frac{5}{16} \times 2\frac{1}{4}-2\frac{1}{2}$; B. H. Rivets, $\frac{1}{4} \times \frac{3}{4}$) T 151			0	3
Brace Hinge for Rear Side Bar, mall. (M. Bolts, $\frac{5}{16} \times 2$; B. H. Rivets, $\frac{1}{4} \times \frac{3}{4}$). No. 3 Harrow T 152			0	2
Rear Hinge on Outside Bar, mall. (B. H. Rivets, $\frac{5}{16} \times \frac{3}{4}$). No. 3 Harrow. T 153			0	5
Front Hinge for Outside Bar and Tooth Bracket, R. H., mall. No. 3 Harrow. (C. Bolts, $\frac{1}{2} \times 3\frac{1}{2}$; Plow Bolts, $\frac{5}{16} \times 1\frac{1}{8}$; M. Bolts, $\frac{5}{16} \times 2\frac{3}{4}$) T 154			0	9
Rear Hinge for Outside Bar and Tooth Bracket, L.H., mall. No. 3 Harrow. T 155			0	9
Clamp for Short Handle Brace, mall., Nos. 1-6-35-36-37. Nos. 1-2 Harrow. (M. Bolt, $\frac{5}{16} \times 2\frac{1}{2}-2\frac{3}{4}$; B. H. Rivets, $\frac{5}{16} \times \frac{7}{16}$) T 156			0	2
Point, $1\frac{1}{4}$ in., No. 35. (Cult. Bolt, $\frac{3}{8} \times 1\frac{1}{2}$) 0			0	11
Point, 2", No. 1. (Point Bolt, $\frac{3}{8} \times 1\frac{1}{2}$) 1			0	9
Side Hoe Blade, R.H., Nos. 6-7-8-35-37. (Plow Bolt, $\frac{5}{16} \times 1\frac{1}{8}$) 12-R.H.			1	13
Side Hoe Blade, L.H., Nos. 6-7-8-35-37. 12-L.H.			1	13
Sweep, 7", Nos. 1-6-7-8. (Cult. Bolt, $\frac{3}{8} \times 1\frac{1}{2}$) 14			1	8

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Sweep, R.H., No. 36.....	16-R.H.		1	9
Sweep, L. H., No. 36.....	16-L.H.		1	9
Sweep, 8", Nos. 35-38. (Point Bolts, $\frac{3}{8}$ x $1\frac{1}{2}$).....	18		1	2
Sweep, 10". (Point Bolt, $\frac{3}{8}$ x $1\frac{1}{2}$).....	18		1	4
Sweep, 12".....	18		1	10
Sweep, 15".....	18		1	13
Point, 3", Nos. 1-5-6-7-8-36. (Cult. Bolt, $\frac{3}{8}$ x $1\frac{1}{2}$).....	82		0	13
Point, 3 $\frac{1}{2}$ ", Hilling Attachment, Fig. 103. (Plow Bolt, $\frac{3}{8}$ x 2).....	83		0	15
Point, 4", Nos. 1-6-7-8-36. (Cult. Bolt, $\frac{3}{8}$ x $1\frac{1}{2}$).....	84		1	1
Point, 2 $\frac{1}{2}$ ", Nos. 35-37. (Cult. Bolt, $\frac{3}{8}$ x $1\frac{1}{2}$).....	89		0	12
Tie Brace, Handle Shift, No. 8.....	123		1	2
Stay Iron, Handle Shift, No. 8.....	124		2	4
Adjusting Screw for Expander, No. 8.....	125		1	2
Expander Screw, comp. No. 8.....	125		3	6
Expander Rod, No. 8. (Cotter, $\frac{3}{16}$ x $1\frac{1}{4}$).....	126		1	5
Offset Standard for Cultivator Tooth, rear, No. 8.....	127		2	12
Frame Bar, Side, R.H., No. 8, to 1912.....	128-R.H.		5	0
Frame Bar, Side, L.H., No. 8, to 1912.....	128-L.H.		5	0
Frame Bar, Side, R.H., No. 8, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{1}{4}$ - $1\frac{3}{8}$).....	128 A-R.H.		4	9
Frame Bar, Side, L.H., No. 8, from 1912.....	128 A-L.H.		4	9
Frame Bar, Middle, No. 8, to 1912.....	129		8	0
Frame Bar, Middle, No. 8, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $2\frac{1}{4}$ -3).....	129 A		8	0
Frame Bar, Middle, Nos. 1-35-36, to 1912.....	130		7	4
Frame Bar, Middle, No. 1, to 1912.....	130 A		6	8
Frame Bar, Middle, No. 39.....	130 B		7	4
Frame Bar, Middle, Nos. 1-35-36, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{4}$ -2-3).....	130 C		7	4
Frame Bar, Middle, No. 1. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $3\frac{1}{4}$; M. Bolt, $\frac{3}{8}$ x $3\frac{1}{4}$).....	130 D		6	8
Frame Bar, Middle, No. 37, to 1912.....	131		6	8
Frame Bar, Middle, No. 37, to 1912.....	131 A		6	12
Frame Bar, Middle, No. 37, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $2\frac{1}{4}$ - $2\frac{3}{4}$) Succeeds No. 131 ..	131 B		6	7
Frame Bar, Middle, No. 37, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{4}$ -2; M. Bolts, $\frac{3}{8}$ x $3\frac{1}{4}$) Succeeds No. 131 A.....	131 C		5	11
Frame Bar, Middle, No. 1 Harrow, to 1912.....	132		8	0
Frame Bar, Middle, No. 1 Harrow, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ -3; M. Bolts, $\frac{3}{8}$ x $1\frac{1}{4}$)...	132 A		7	14

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Frame Bar, Middle, Nos. 2-38 Harrow, to 1912.....	133		7	8
Frame Bar, Middle, Nos. 2-38 Harrow, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ -2- $2\frac{1}{4}$ -3).....	133 A		7	13
Frame Bar, Middle, No. 6, to 1912.....	134		8	0
Frame Bar, Middle, No. 6, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{3}{8}$ -3).....	134 A		8	0
Frame Bar, Middle, No. 7, to 1912.....	135		8	0
Frame Bar, Middle, No. 7, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{3}{8}$ -3).....	135 A		8	0
Frame Bar, Middle, No. 5, to 1912.....	137		5	8
Frame Bar, Middle, No. 5, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{3}{4}$ -3).....	137 A		5	8
Frame Bar, Side, No. 5, to 1912.....	138		7	8
Frame Bar, Side (special), No. 5, to 1912.....	138 A		8	0
Frame Bar, Side, No. 5, from 1912. (B.H. Rivets, $\frac{1}{4}$ x $\frac{3}{4}$; C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$) Succeeds No.138	138 B		7	0
Frame Bar Side, No.5, from 1912. (C.Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$; B.H. Rivets, $\frac{1}{4}$ x $\frac{3}{4}$) Succeeds No.138A	138 C		7	5
Frame Bar, Side, No. 1 Harrow, to 1912.....	139		5	12
Frame Bar, Side, No. 1 Harrow, from 1912.....	139 A		5	8
Frame Bar, Side, Nos. 2-38 Harrow, to 1912.....	140		5	12
Frame Bar, Side, Nos. 2-38 Harrow, from 1912. (M. Bolts, $\frac{3}{8}$ x 1; C. Bolts, $\frac{3}{8}$ x $1\frac{1}{4}$)....	140 A		5	8
Frame Bar, Side, R.H., No. 1, to 1912.....	141 R.H.		5	0
Frame Bar, Side, L.H., No. 1, to 1912.....	141 L.H.		5	0
Bent Side Frame Bar, No. 1, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$).....	141 A-R.H.		4	8
Bent Side Frame Bar, No. 1, from 1912.....	141 A-L.H.		4	8
Frame Bar, Side, R.H., Nos. 6-7, to 1912.....	142 R.H.		5	4
Frame Bar, Side, L.H., Nos. 6-7, to 1912.....	142 L.H.		5	4
Frame Bar, Side, Nos. 6-7, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$ - $1\frac{3}{4}$ -2).....	142 B-R.H.		4	14
Frame Bar, Side, Nos. 6-7, from 1912.....	142 B-L.H.		4	14
Frame Bar, Side, R.H., No. 36, to 1912.....	143 R.H.		5	0
Frame Bar, Side, L.H., No. 36, to 1912.....	143 L.H.		5	0
Bent Side Frame Bar, No. 36, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$).....	143 A-R.H.		4	10
Bent Side Frame Bar, No. 36, from 1912.....	143 A-L.H.		4	10
Frame Bar, Side, R.H., No. 35, to 1912. No. 39.....	144 A-R.H.		4	14
Frame Bar, Side, L.H., No. 35, to 1912. No. 39.....	144 A-L.H.		4	14
Straight Side Frame Bar, No. 1, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$).....	144 B-R.H.		4	4
Straight Side Frame Bar, No. 1, from 1912.....	144 B-L.H.		4	4
Side Frame Bar, No. 35, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$ - $1\frac{3}{8}$ - $1\frac{1}{2}$).....	144 C-R.H.		4	3

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Side Frame Bar, No. 35, from 1912.....	144 C-L.H.		4	3
Bent Side Frame Bar, No. 37, from 1912. (C. Bolts, $\frac{3}{8}$ x $1-1\frac{1}{4}-1\frac{1}{2}$).....	145 A-R.H.		3	8
Bent Side Frame Bar, No. 37, from 1912.....	145 A-L.H.		3	8
Frame Bar, Side, R.H., No. 37, to 1912.....	146 R.H.		3	11
Frame Bar, Side, L.H., No. 37, to 1912.....	146 L.H.		3	11
Straight Side Frame Bar, No. 37, from 1912. (C. Bolts, $\frac{3}{8}$ x $1-1\frac{1}{4}-1\frac{1}{2}$).....	146 A-R.H.		3	2
Straight Side Frame Bar, No. 37, from 1912.....	146 A-L.H.		3	2
Diamond Tooth, Nos. 1-3 Harrow.....	147		0	12
Diamond Cult. Tooth (Double) Nos. 2-38 Harrow.....	148		0	13
Standard for Sweep (Special for Spinach), No. 38. (C. Bolt, $\frac{3}{8}$ x $2\frac{1}{4}$; Point Bolt, $\frac{3}{8}$ x $1\frac{1}{2}$)...	149		2	10
Standard for Cultivator Tooth, R.H., Nos. 1-5, to 1911.....	150 R.H.		2	8
Standard for Cultivator Tooth, L.H., Nos. 1-5, to 1911. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}-1\frac{3}{8}$).....	150 L.H.		2	8
Standard for Cultivator Tooth, R.H., Nos. 1-5-6-7-8. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}-1\frac{3}{8}-1\frac{1}{2}-1\frac{3}{4}$).....	151 R.H.		2	12
Standard for Cultivator Tooth, L.H., Nos. 1-5-6-7-8. (Point Bolt, $\frac{3}{8}$ x $1\frac{1}{2}-2$).....	151 L.H.		2	12
Standard for Cultivator Tooth, R.H., Nos. 35-36. (Also Standard for Side Hoe, R. H., No. 36). (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}-1\frac{3}{8}-1\frac{1}{2}$; Point Bolts, $\frac{3}{8}$ x $1\frac{1}{2}$).....	152 R.H.		2	3
Standard for Cult. Tooth, L.H., Nos. 35-36. (Also Standard for Side Hoe, L.H., No. 36.)	152 L.H.		2	3
Standard for Cult. Tooth, R.H., No. 37. (C. Bolts, $\frac{3}{8}$ x $1-1\frac{1}{4}-1\frac{1}{2}-1\frac{3}{4}$; Point Bolts, $\frac{3}{8}$ x $1\frac{1}{2}$)	153 R.H.		2	0
Standard for Cultivator Tooth, L.H., No. 37.....	153 L.H.		2	0
Standard for Side Hoe, R.H., No. 1.....	154 R.H.		2	11
Standard for Side Hoe, L.H., No. 1.....	154 L.H.		2	11
Standard for Side Hoe, R.H., Nos. 1-6-7-8-35. (Also Standard for Hilling Attachment, replacing No. 158). (C. Bolts, $\frac{1}{2}$ x $3-3\frac{1}{2}$; Plow Bolts, $\frac{5}{16}$ x $1\frac{1}{8}$).....	155 R.H.		3	0
Standard for Side Hoe, L.H., Nos. 1-6-7-8-35.....	155 L.H.		3	0
Standard for Side Hoe, R.H. (to 1901 use No. 152), Nos. 36-37. (C. Bolts, $\frac{3}{8}$ x $1-1\frac{1}{2}$; Plow Bolts, $\frac{5}{16}$ x $1\frac{1}{8}$).....	156 R.H.		2	10
Standard for Side Hoe, L.H. (to 1901 use No. 152). Nos. 36-37.....	156 L.H.		2	10
Standard for Blade, Hilling Attachment, Fig. 103. (Plow Bolt, $\frac{3}{8}$ x 1).....	157		1	5
Standard for Cultivator Tooth, Hilling Attachment (to 1904 use No. 155), R. H., Fig. 103	158		2	11
Standard for Vine Lifter Attachment, Fig. 73, to 1911.....	159		2	6
Standard for Vine Lifter Attachment, from 1912. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}-1\frac{3}{8}$; Plow Bolts, $\frac{3}{8}$ x $1\frac{1}{2}$)	159 A		2	11
Clamp Expander, R.H., Nos. 1-6-35-36-39, to 1912.....	161 R.H.		2	5
Clamp Expander, L.H., Nos. 1-6-35-36-39, to 1912. (C. Bolt, $\frac{3}{8}$ x $2\frac{1}{4}$).....	161 L.H.		1	5

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Clamp Expander Straps, Nos. 1-6-35-36, from 1912. (M. Bolt, $\frac{5}{16} \times 2\frac{3}{4}$)	161 A		1	4
Clamp Expander Strap, R.H. (and L.H., on No. 5), Nos. 1 & 2 Harrow, to 1912	162 R.H.		1	8
Clamp Expander Strap, L.H., Nos. 1 & 2 Harrow, to 1912	162 L.H.		1	8
Expander Straps, No. 5. Nos. 1-2 Harrow, from 1912. (M. Bolts, $\frac{3}{8} \times 1\frac{1}{4}$; $\frac{5}{16} \times 2\frac{1}{2}$)	162 A-R.H.		1	8
Expander Straps, Nos. 1-2 Harrow, from 1912	162 A-L.H.		1	8
Clamp Expander Strap, R.H., No. 37, to 1912	163 R.H.		0	14
Clamp Expander Strap, L.H., No. 37, to 1912	163 L.H.		0	11
Clamp Expander Strap, No. 37, from 1912. (M. Bolts, $\frac{5}{16} \times 2\frac{3}{4}$)	163 A		0	14
Lower Expander, plain, No. 7, to 1912. (M. Bolt, $\frac{3}{8} \times 2\frac{1}{4}$)	164		0	12
Lower Expander, plain, No. 7, from 1912	164 A		0	13
Lever Expander Strap, Nos. 35-37	166		0	10
Lever Expander Strap, No. 37. (M. Bolts, $\frac{5}{16} \times 2\frac{1}{2}$, $\frac{3}{8} \times 2\frac{1}{4}$)	166 A		0	9
Lever Expander Strap, Nos. 35-37. (M. Bolts, $\frac{5}{16} \times 3$, $\frac{3}{8} \times 2\frac{1}{4}$)	166 B		0	9
Lever Expander Strap, Nos. 1-6-36	167		0	12
Lever Expander Strap, Nos. 1-6. (M. Bolts, $\frac{3}{8} \times 2\frac{1}{4}$, $\frac{5}{16} \times 2\frac{1}{2}$)	167 A		0	11
Lever Expander Strap, Nos. 1-6. (M. Bolt, $\frac{5}{16} \times 3$, $\frac{3}{8} \times 2\frac{1}{4}$)	167 B		0	11
Lever Expander Strap, Nos. 1-2-38 Harrows, to 1912	168		0	13
Lever Expander Strap, Nos. 1-2-38 Harrow, from 1912. (M. Bolts, $\frac{5}{16} \times 1-2$, $\frac{3}{8} \times 2\frac{1}{4}$)	168 A		0	13
Lever Expander Strap, Nos. 1-2-38 Harrow, from 1912. (M. Bolts, $\frac{5}{16} \times 2$, $\frac{3}{8} \times 2\frac{1}{4}$)	168 B		0	12
Pipe for Crank Expander Handle, No. 7	169		0	14
Expander Lever Connection, Nos. 1-36-38. (M. Bolts, $\frac{3}{8} \times 1\frac{1}{4}$)	171		0	12
Expander Lever Connection, Nos. 35-37. Nos. 1-2-3 Harrow	173		0	12
Expander Lever Connection, No. 6	174		0	10
Expander Lever (with Trigger). (C. Bolt, $\frac{1}{4} \times 1\frac{3}{8}$; Plow Bolt, $\frac{1}{4} \times \frac{3}{4}$; B. H. Rivets, No. 6x $\frac{3}{4}$)				
All but Nos. 5-7-8	175		2	14
Wheel Lever Iron, R.H., Nos. 1-6-8-35-36. Nos. 1-2 Harrow	176 R.H.		3	6
Wheel Lever Iron, L.H., Nos. 1-6-8-35-36. Nos. 1-2 Harrow	176 L.H.		3	6
Wheel Lever, complete, Nos. 1-6-8-35-36. Nos. 1-2 Harrow. (M. Bolts, $\frac{3}{8} \times 1\frac{1}{2}$; B. H. Rivets, No. 6x $\frac{7}{8}$)	176		7	4
Plain Wheel Standard Strap. (M. Bolt, $\frac{3}{8} \times 1\frac{3}{4}$; B. H. Rivets, $\frac{5}{16} \times \frac{1}{2}-\frac{9}{16}$). All but No. 7..	177		0	9
Handle Stay, R.H. All but No. 37 & Nos. 1-2 Harrows. (C. Bolt, $\frac{5}{16} \times 1\frac{3}{4}-2$, $\frac{3}{8} \times 1\frac{3}{8}-1\frac{3}{4}-2\frac{1}{4}$)	178 R.H.		0	14
Handle Stay, L.H. All but No. 37 and Nos. 1-2 Harrows	178 L.H.		0	14
Handle Stay, R.H. Nos. 1-2-38 Harrow. (C. Bolt, $\frac{5}{16} \times 1\frac{3}{4}-2$, $\frac{3}{8} \times 1\frac{3}{8}$)	179 R.H.		0	15

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Handle Stay, L.H., Nos. 1-2-38 Harrow	179	L.H.	0	15
Handle Stay, R.H., No. 37. (C. Bolts, $\frac{5}{16} \times 1\frac{1}{4}$)	180	R.H.	0	13
Handle Stay, L.H., No. 37	180	L.H.	0	13
Handle Brace, short, outside, R.H. Nos. 1-6-35-36, to 1912	182	R.H.	0	7
Handle Brace, short, outside, L.H. Nos. 1-6-35-36, to 1912. (C. Bolt, $\frac{5}{16} \times 2$)	182	L.H.	0	7
Handle Brace, short, Nos. 1-6-35-36-37, from 1912. (B. H. Rivets, $\frac{5}{16} \times \frac{7}{16}$)	182 A-R.H.		0	8
Handle Brace, short, Nos. 1-6-35-36-37, from 1912	182 A-L.H.		0	8
Handle Brace, short, Nos. 1-2 Harrow, from 1912	182 B		0	8
Handle Brace, long, Nos. 1-6-35-36. No. 2 Harrow. (C. Bolts, $\frac{1}{4} \times 2\frac{1}{2}-2\frac{3}{4}$)	183		1	7
Handle Brace, long, Nos. 1-2-38 Harrows, to 1912	183 A		1	7
Handle Brace, long, special when ordered, Nos. 1-6-35-37. (M. Bolts, $\frac{5}{16} \times 1-3$; C. Bolts, $\frac{1}{4} \times 2\frac{1}{2}$)	183 B		1	6
Handle Brace, long, Nos. 1-2-38 Harrows, from 1912. (M. Bolts, $\frac{5}{16} \times 1$; C. Bolts, $\frac{1}{4} \times 2\frac{1}{2}$)	183 C		1	7
Handle Stay Rod, $\frac{3}{8}$ "	184		0	9
Handle Rod, $\frac{1}{4}$ "	185		0	6
"Iron Age" Clevis. All but Nos. 7-36-37-38	186		0	7
Steel Clamp for Expander, Nos. 1-5-6-35-36. Nos. 1-2 Harrow, with Cup Pt. Set Sc'w $\frac{1}{2} \times 1\frac{1}{4}$	187		0	5
Wheel Axle. All but No. 7	188		0	5
Handle Brace, long (slotted), No. 8. (C. Bolts, $\frac{1}{4} \times 2\frac{1}{2}$)	189		1	9
Tooth Clamp Bracket, equal, Nos. 2-38 Harrows. (M. Bolts, $\frac{3}{8} \times 1$)	190		0	4
Tooth Clamp Bracket, unequal, Nos. 2-38 Harrows	190		0	4
Spring for Wheel Lever, coil, Nos. 1-6-8-35-36. Nos. 1-2 Harrow	191		0	1
Spring for Expander Lever, coil. All but Nos. 5-7-8-36	192		0	1
Extension for Middle Bar, No. 5. (C. Bolts, $\frac{3}{8} \times 1\frac{3}{4}$)	193		3	3
Extension for Side Bar, No. 5, 11-tooth	194		2	14
Extension Bar for Furrow Closing Attachment, Nos. 6-7. (C. Bolts, $\frac{3}{8} \times 1\frac{3}{8}-1\frac{3}{4}-1\frac{3}{8}$)	196		1	13
Strap Brace for Middle Bar, Nos. 1-3 Harrow. (M. Bolts, $\frac{3}{8} \times 1\frac{1}{4}$)	197		0	10
Wrench Holder	198		0	3
Runner for Runner Attachment. (M. Bolts, $\frac{3}{8} \times 2\frac{1}{2}$). Fig. 105	200		1	15
Cross Brace for Runner Attachment. (C. Bolts, $\frac{3}{8} \times 2\frac{1}{2}$). Fig. 105	201		1	5
Draft Rod, Nos. 1-37	202		1	6
Vine Lifter, R.H. (M. Bolts, $\frac{5}{16} \times 3$; Plow Bolt, $\frac{3}{8} \times 1\frac{1}{4}$). Fig. 73	204	R.H.	2	0
Vine Lifter, L.H. Fig. 73	204	L.H.	2	0
Blade for Hilling Attachment, R.H. Fig. 103	205	R.H.	4	8

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators


DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Blade for Hilling Attachment, L.H. Fig. 103.....	205	L.H.	4	8
Runner for Depth Regulator, No. 39.....	206		2	11
Brace for Depth Regulator, No. 39.....	207		0	4
Point for Vine Lifter Attachment. (Plow Bolts, $\frac{3}{8}$ x $1\frac{1}{4}$ - $1\frac{1}{2}$). Fig. 73.....	209		0	13
Clevis. (M. Bolt, $\frac{3}{8}$ x $3\frac{1}{2}$). Nos. 1-36-37.....	210		0	6
Wheel Lever Iron, R.H., No. 7.....	211	R.H.	2	9
Wheel Lever Iron, L.H., No. 7. (M. Bolts, $\frac{3}{8}$ x $1\frac{1}{2}$; B. H. Rivets, No. 6 x $\frac{7}{8}$).....	211	L.H.	2	9
Wheel Lever, complete, No. 7.....	211		5	11
Break Pin Tooth Clamp, R.H., from 1909 (special), Fig. 250.....	212	R.H.	0	7
Break Pin Tooth Clamp, L.H., from 1909 (special). Fig. 250.....	212	L.H.	0	7
Fender Blade, Nos. 1-2-38 Harrow. (Stove Bolt, $\frac{1}{4}$ x $\frac{1}{2}$; Rivet, B. H., $\frac{1}{4}$ x $\frac{3}{8}$).....	213		1	8
Fender, complete, R.H., Nos. 1-2-38 Harrow. (Stove Bolts, $\frac{1}{4}$ x $\frac{1}{2}$).....	213	R.H.	3	0
Fender, complete, L.H., Nos. 1-2-38 Harrow.....	213	L.H.	3	0
Fender Bar, Nos. 1-2-38 Harrow. (B. H. Rivets, $\frac{1}{4}$ x $\frac{3}{8}$ - $\frac{5}{8}$; Stove Bolts, $\frac{1}{4}$ x $\frac{1}{2}$).....	214		1	0
Eye Bolt for Side Hoe, No. 35.....	255		0	5
Standard for Side Hoe, R.H., Nos. 35-38. (B. H. Rivets, $\frac{1}{4}$ x $\frac{7}{16}$ - $\frac{9}{16}$).....	622	R.H.	1	6
Standard for Side Hoe, L.H., Nos. 35-38.....	622	L.H.	1	6
Side Hoe, complete, R.H., Nos. 35-38.....	622	R.H.	2	0
Side Hoe, complete, L.H., Nos. 35-38. (Rivets, $\frac{1}{4}$ x $\frac{1}{2}$ - $\frac{3}{4}$).....	622	L.H.	2	0
Side Hoe Blade, R.H., Nos. 35-38. (B. H. Rivets, $\frac{1}{4}$ x $\frac{7}{16}$ - $\frac{9}{16}$).....	623	R.H.	0	9
Side Hoe Blade, L.H., Nos. 35-38.....	623	L.H.	0	9
Lever for Depth Regulator, complete, Nos. 1-6-36. (C. Bolts, $\frac{1}{4}$ x $1-1\frac{3}{8}$; Plow Bolt, $\frac{1}{4}$ x $\frac{3}{4}$) (B. H. Rivet, No. 6 x $\frac{3}{4}$).....	651		3	10
Lever Connection for Depth Regulator, Nos. 1-6-36. (M. Bolts, $\frac{3}{8}$ x $1-1\frac{1}{4}$).....	652		1	0
Runner for Depth Regulator, to 1908, Nos. 1-6-36.....	653		3	6
Runner for Depth Regulator, from 1908, Nos. 1-6-36.....	653 A		4	0
Wheel Standard, R.H., Depth Regulator, to 1908, Nos. 1-6-36.....	654	R.H.	1	5
Wheel Standard, L.H., Depth Regulator, to 1908, Nos. 1-6-36.....	654	L.H.	1	5
Wheel Standard, R.H., Depth Regulator, from 1908, Nos. 1-6-36. (M. Bolts, $\frac{3}{8}$ x $1-1\frac{1}{4}$)...	654 A-R.H.		1	4
Wheel Standard, L.H., Depth Regulator, from 1908, Nos. 1-6-36.....	654 A-L.H.		1	4
Link from Frame to Runner, Depth Regulator, Nos. 1-6-36.....	655		0	4
Pin for Runner, $\frac{1}{2}$ x $1\frac{1}{4}$, Depth Regulator, Nos. 1-6-36. (Cotter, $\frac{3}{16}$ x $1\frac{1}{4}$).....	656		0	2
Round for Handles.....	2063		0	8

Repair Parts for *IRON AGE* Horse Hoes, Harrows and Cultivators

DESCRIPTION	NO.	LIST PRICE	WEIGHT	
			LBS.	OZ.
Blade for Leveler Attachment. (B. H. Rivet, $\frac{1}{4} \times \frac{9}{16}$). Fig. 104.....	2504		2	14
Link Rod for Wheel Lever, 26 in. (no cut).....	6000		0	1
Link Rod for Expander Lever, 22 in. (no cut), No. 38.....	6001		0	1
Link Rod for Depth Regulator, 24 in. (no cut).....	6002		0	1
Improved Furrower, 20 in.	6003		11	8
Outside Extension for 9-Tooth Attachment, No. 1. (C. Bolts, $\frac{3}{8} \times 1\frac{1}{8}-1\frac{3}{8}-1\frac{1}{2}-1\frac{3}{4}$).....	6004		1	13
Side Bar Extension for 9-Tooth Attachment, No. 1. (C. Bolts, $\frac{3}{8} \times 1\frac{1}{4}-1\frac{1}{2}-1\frac{3}{4}$).....	6005		1	14
Middle Bar. (M. Bolts, $\frac{3}{8} \times 1\frac{1}{4}-1\frac{1}{2}$; C. Bolts, $\frac{3}{8} \times 1\frac{3}{8}-1\frac{1}{2}-1\frac{3}{4}-2\frac{1}{2}-3$). No. 3 Harrow.....	6006		8	13
Side Bar, front. (B. H. Rivets, $\frac{1}{4} \times \frac{3}{4}$). No. 3 Harrow.....	6007		4	11
Side Bar, rear. (B. H. Rivets, $\frac{5}{16} \times \frac{3}{4}$, $\frac{1}{4} \times \frac{3}{4}$). No. 3 Harrow.....	6008		3	4
Front Side Bar Expander Strap. (M. Bolts, $\frac{5}{16} \times 2\frac{1}{4}$, $\frac{3}{8} \times 2\frac{1}{4}$). No. 3 Harrow.....	6009		0	11
Rear Side Bar Expander Strap. (M. Bolts, $\frac{5}{16} \times 2\frac{1}{4}-2\frac{1}{2}$). No. 3 Harrow.....	6010		1	1
Handle Brace, No. 3 Harrow. (M. Bolts, $\frac{5}{16} \times 2$; C. Bolts, $\frac{1}{4} \times 2\frac{3}{4}$).....	6011		0	12
Handle Stay, No. 3 Harrow. (C. Bolts, $\frac{3}{8} \times 1\frac{3}{4}$).....	6012		0	12
Pipe Spacer, $\frac{1}{4} \times 2\frac{1}{2}$, No. 3 Harrow. (M. Bolts, $\frac{5}{16} \times 2\frac{1}{2}$).....	6013		0	1
Pipe Spacer, $\frac{1}{4} \times \frac{1}{2}$, No. 3 Harrow. (C. Bolts, $\frac{1}{4} \times 2\frac{3}{4}$).....	6014		0	$\frac{1}{8}$
Pin for Middle Bar, $\frac{1}{4} \times 1$ (no cut).....	6015			
Handle, R.H. All but No. 37, No. 3 Harrow. (C. Bolts, $\frac{5}{16} \times 1\frac{3}{4}$, $\frac{1}{4} \times 2\frac{1}{2}$, $\frac{3}{8} \times 3-3\frac{1}{4}$).....	6060		3	0
Handle, R.H., No. 37. (C. Bolts, $\frac{3}{8} \times 2\frac{3}{4}$, $\frac{5}{16} \times 1\frac{3}{4}$).....	6060 A		3	0
Handle, L.H. All but No. 37, No. 3 Harrow. (C. Bolts, $\frac{3}{8} \times 2\frac{3}{4}$ or 3).....	6061		3	0
Handle, L.H., No. 37.....	6061 A		3	0
Handle, R.H., No. 39.....	6062		3	0
Handle, L.H., No. 39.....	6063		3	0
Handle, R.H., No. 3 Harrow. (C. Bolts, $\frac{3}{8} \times 3$, $\frac{1}{4} \times 2\frac{3}{4}$).....	6064	R.H.	3	4
Handle, L.H., No. 3 Harrow.....	6064	L.H.	3	4
Staple for Side Bar, $\frac{3}{8}$ ", unequal, Nos. 1-3 Harrow.....	6080		0	3
Staple for Middle Bar, $\frac{3}{8}$ ", equal, Nos. 1-3 Harrow.....	6081		0	3
Clamp Bolt, $\frac{7}{16} \times 14$, No. 7.....	6082		0	11
Steel Sand Cap Washer for T 17 and T 17 A (special). All but No. 7.....	6083		0	1


Repair Parts for No. 1 *IRON AGE* Horse Hoe and Cultivator

5-Tooth, Fig. 10—7-Tooth, Fig. 57—9-Tooth, Fig. 411—Figs. 64, 463
(New Nos., 1005—1007-EP—1009-E—1000-EL)




Repair Parts for No. 6 *IRON AGE* Horse Hoe and Cultivator

Figs. 160, 100, 102, 101—7-Tooth, Figs. 71, 462
(New Nos., 600-EL, 600-EP, 600-P, 607-EL, 607-EP)




Repair Parts for No. 5 *IRON AGE* Orchard Cultivator

9-Tooth, Fig. 70. (New No. 509)



REPAIR PARTS FOR NO. 7, FIG. 161, HORSE HOE AND CULTIVATOR NOT FOUND ON NO. 6
(New No. 700-L)



Repair Parts for No. 8 *IRON AGE* Horse Hoe and Cultivator

FIG. 157. (New No. 800-L)







Fig. 166
Screw Expander
holds the
Hoes exactly
where you
want them.

Screw Expander,
Horse Hoe and Culti-
vator.




No. 800-L,
Formerly
known as
No. 8,
Fig. 157.


Repair Parts for No. 35 *IRON AGE* Weeder and Cultivator




Repair Parts for No. 36 *IRON AGE* Horse Hoe and Cultivator




REPAIR PARTS FOR "DIXIE" HORSE HOE AND CULTIVATOR. NOT FOUND ON NO. 1
(See Page 13)



Repair Parts for No. 37 *IRON AGE* 5 Tooth Cultivator




REPAIR PARTS FOR NO. 39 WEEDER AND CULTIVATOR. NOT FOUND ON NO. 35
(See Page 17)




Repair Parts for *IRON AGE* No. 1 Harrow

FIG. 106. (New No. 1014)





Repair Parts for *IRON AGE* Nos. 2 and 3 Harrows

Not Found on No. 1 Harrows. (New Nos. 2013, 3016-EP)




REPAIR PARTS FOR NO. 38 WEEDER AND HARROW.
NOT FOUND ON NOS. 1 AND 2 Harrows. (New No. 2038)



Formerly known
as No. 1,
Fig. 106.

No. 1014
Diamond Tooth Harrow
and Cultivator.



With Furrow-Closing
Attachment

No. 3016-EP. Formerly known as No. 3

Repair Parts for *IRON AGE* Attachments

FOR HORSE HOES, HARROWS AND CULTIVATORS





Fig. 188
Depth Regulator




Fig. 73
Vine Lifter




Fig. 105
Runner Attachment

IRON AGE Horse Hoes, Harrows and Cultivators







Fig. 250.
Break Pin
Tooth
Clamp.

No. 599 Orchard
Cultivator. Formerly
No. 5, Fig. 70.



No. 700-L.
Formerly No. 7, Fig.
161
Crank Expander,
Horse Hoe and
Cultivator.

No. 1007-EP
Seven-Tooth Cultivator. Formerly No. 1,
Fig. 57.



Plain Fine-Tooth Cultivator
No. 1005. Formerly No. 1,
Fig 10.





Fig. 103.
Hilling
Attach-
ment.





Fig. 104. Leveler
Attachment.




No. 1009-E.
Nine-Tooth
Cultivator.
Formerly
No. 1, Fig.
411.

IRON AGE Horse Hoes, Harrows and Cultivators



No. 36
Horse Hoe and Cultivator.



No. 35
Woods and Cultivator.

FIG. 211.
Side Hoe Attachment. Will fit
any Horse Hoe
and Cultivator
but No. 2038.



No. 37.
Fine-Tooth Cultivator.



Fig. 212.
Side Hoe Attachment. Will fit
any Horse Hoe
and Cultivator
but No. 35.



No. 2038.
Woods and
Harrow.
Formerly No. 38.



No. 600-EP.
Horse Hoe
and
Cultivator.
Formerly
No. 6.
Fig. 100.